

Oil Ace™ Series Used Fluid Collection



Convenient, multi-purpose used oil evacuation and drain systems



Used Oil Handling Systems

Drain, evacuate and transfer used oil (and other used fluids) reliably, quickly, and in the most cost-effective manner.

PROVEN QUALITY. LEADING TECHNOLOGY.

Vacuum-Assisted or Gravity-Fed Oil Collection Systems

For shops requiring flexibility, use Graco's multi-purpose used oil evacuation system when fluid drain plugs are either not easily accessible or not available.



TYPICAL APPLICATIONS

- Automotive dealerships
- Fast lube centres
- Service shops
- Heavy-duty dealerships
- Fleet services facilities

TYPICAL FLUIDS HANDLED

- Used oil

ORDERING INFORMATION

	VACUUM-ASSISTED SYSTEMS				GRAVITY-FED SYSTEM
					
PART NUMBER	26C061	26C062	26C063	26C064	119577
DESCRIPTION	90 l (24 gal) steel tank with : • suction probes • adapters	90 l (24 gal) steel tank with : • suction probes • adapters • sight glass	90 l (24 gal) steel tank with : • suction probes • adapters • oil drain funnel	90 l (24 gal) steel tank with • suction probes • adapters • sight glass • oil drain funnel	90 l (24 gal) steel-tank pressurised oil drain

TECHNICAL SPECIFICATIONS

Fluid	Used oil, ATF
Tank Capacity	90 l (24 gallon)
Receiver Evacuation	Pressurised
Maximum Air Pressure for Vacuum	
• Model 119577	N/A
• Models 26C061, 26C062, 26C063, 26C064	7.6 bar (110 psi)
Maximum Draining Pressure	0.5 bar (7 psi)
Receiver Material	Steel
Length	61 cm (24 in)
Width	40.6 cm (16 in)
Height	99 to 203 cm (39 to 80 in)
Funnel Size	61 cm (24 in)
Dry Weight	23 to 33.2 kg (50.7 to 73.2 lbs)
Instruction Manual	310864



ABOUT GRACO

Founded in 1926, Graco is a world leader in fluid handling systems and components. Graco products move, measure, control, dispense and apply a wide range of fluids and viscous materials used in vehicle lubrication, commercial and industrial settings.

The company's success is based on its unwavering commitment to technical excellence, world-class manufacturing and unparalleled customer service. Working closely with qualified distributors, Graco offers systems, products and technology that set the quality standard in a wide range of fluid handling solutions. Graco provides equipment for spray finishing, protective coating, paint circulation, lubrication, and dispensing sealants and adhesives, along with power application equipment for the contractor industry. Graco's ongoing investment in fluid management and control will continue to provide innovative solutions to a diverse global market.

GRACO LOCATIONS

MAILING ADDRESS

P.O. Box 1441
Minneapolis, MN 55440-1441
Tel: 612-623-6000
Fax: 612-623-6777

AMERICAS

MINNESOTA

Worldwide Headquarters
Graco Inc.
88-11th Avenue N.E.
Minneapolis, MN 55413

EUROPE

BELGIUM

European Distribution Center
Graco Distribution BVBA
Industrieterrein-Oude Bunders
Slakweidestraat 31
3630 Maasmechelen,
Belgium
Tel: 32 89 770 700
Fax: 32 89 770 777

ASIA PACIFIC

AUSTRALIA

Graco Australia Pty Ltd.
Suite 17, 2 Enterprise Drive
Bundoora, Victoria 3083
Australia
Tel: 61 3 9468 8500
Fax: 61 3 9468 8599

CHINA

Graco Hong Kong Ltd.
Shanghai Representative Office
Building 7
1029 Zhongshan Road South
Huangpu District
Shanghai 200011
The People's Republic of China
Tel: 86 21 649 50088
Fax: 86 21 649 50077

INDIA

Graco Hong Kong Ltd.
India Liaison Office
Room 432, Augusta Point
Regus Business Centre 53
Golf Course Road
Gurgaon, Haryana
India 122001
Tel: 91 124 435 4208
Fax: 91 124 435 4001

JAPAN

Graco K.K.
1-27-12 Hayabuchi
Tsuzuki-ku
Yokohama City, Japan 2240025
Tel: 81 45 593 7300
Fax: 81 45 593 7301

KOREA

Graco Korea Inc.
38, Samsung 1-ro 1-gil
Hwaseong-si, Gyeonggi-do, 18449
Republic of Korea
Tel: 82 31 8015 0961
Fax: 82 31 613 9801

All written and visual data contained in this document are based on the latest product information available at the time of publication. Graco reserves the right to make changes at any time without notice.

Graco is certified ISO 9001.



Europe
+32 89 770 700
FAX +32 89 770 777
WWW.GRACO.COM

©2017 Graco Distribution BVBA 352679ENEU Rev. A 06/18 Electronic Version only.
All other brand names or marks are used for identification purposes and are trademarks of their respective owners.